



Product Documentation

Configuring Citrix Workspace App

Imprivata Enterprise Access Management 25.3

Contacting Imprivata

20 CityPoint, 480 Totten Pond Road, 6th Floor

Waltham, MA 02451 USA

Phone: 781-674-2700

Toll-Free: 1-877-OneSign

Fax: 1 781 674 2760

Support: 1 800 935 5958 (North America)

Support: 001 408-987-6072 (Outside North America)

<https://www.imprivata.com>

support@imprivata.com

Copyright and Legal Information

© 2025 Imprivata, Inc. All Rights Reserved.

This product is distributed under licenses restricting its use, copying, distribution and decompilation.

Imprivata's products may be covered in whole or in part by one or more U.S. pending or issued patents listed at <http://www.imprivata.com/patents>.

Trademark Information

OneSign, Imprivata, and the Imprivata logo are registered trademarks of Imprivata, Inc. ProveID and Imprivata OneSign APG are trademarks of Imprivata, Inc. in the United States and in other countries.

Legal Notices

Under international copyright laws, neither the documentation nor software may be copied, photocopied, reproduced, translated, or reduced to any electronic medium or machine-readable form, in whole or in part without the prior written consent of Imprivata, Inc., except as described in the license agreement.

The names of companies, products, people, and/or data mentioned herein are fictitious and are in no way intended to represent any real individual, company, product, or event, unless otherwise noted.

DOCUMENTATION IS PROVIDED "AS IS" AND ALL EXPRESS OR IMPLIED CONDITIONS, REPRESENTATIONS AND WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT, ARE DISCLAIMED, EXCEPT TO THE EXTENT THAT SUCH DISCLAIMERS ARE HELD TO BE LEGALLY INVALID.

Document revision 25.3

Configuring Citrix Workspace App for Imprivata Enterprise Access Management



NOTE:

Beginning with 24.2, Imprivata OneSign and Imprivata Confirm ID have been renamed to Imprivata Enterprise Access Management.

Some interfaces in the Imprivata Admin Console, Imprivata Appliance Console, and documentation may retain the older Imprivata OneSign and Imprivata Confirm ID product names.

This document includes information about configuring Citrix Workspace app to support Imprivata Enterprise Access Management SSO and Citrix XenApp.

For more information on how to create a Group Policy to enable Fast Connect, see [Citrix Support](#).

This document contains the following sections:

- Configuring Citrix Workspace App for Imprivata Enterprise Access Management** **3**
- Before You Begin 4
- Software Requirements and Downloads 4
- Citrix Workspace App Installation Requirements 4
- Note the Citrix Account URLs 4
- Enable Citrix StoreFront for the Citrix FastConnect API 5
- Add Citrix Administrative Templates to the Active Directory Domain Controller 5
- Locate the Templates 6
- Add the Templates to the Central Store on the Domain Controller 6
- Enterprise Access Management Workflows and How Citrix Workspace App Reconnects to existing Sessions 6
- Enable Imprivata Virtual Channel 7
- Create A Group Policy to Manage Fast Connect Configuration 8
- Step 1: Create an Organizational Unit for Endpoint Computers 8
- Step 2: Create a Group Policy 8
- Step 3: Add the Citrix Template Files for the Group Policy 9
- Configure the Group Policy 9
- Step 1: Configure the Local User Name and Password 9
- Step 2: Configure Fast Connect API Support 10
- Step 3: Configure Application Shortcuts 10
- Step 4: Control Reconnection attempts to Existing Sessions 11
- Step 5: Add Accounts 12
- Step 6: Create Registry Keys for StoreFront Store Support 12
- Step 7: Close the Group Policy Management Editor to Save Your Changes 13
- Link The Group Policy Object to the Organizational Unit 14
- Configure Security Filtering 14
- Verify the Configuration 15
- View Policy Configurations in the Registry 16
- Generate a Group Policy Result Report 16

Before You Begin

Review the following requirements and prerequisite steps before you begin.

Software Requirements and Downloads

Before you begin:

- See the Enterprise Access Management with SSO [Supported Components](#) to identify supported Citrix Workspace app versions.
- Download the Citrix Workspace app installer from the [Citrix Support](#) site.

Citrix Workspace App Installation Requirements

Support for Citrix Workspace app requires the following:

- Install Citrix Workspace app with a user that has administrator privileges.
- Single sign-on (pass through) authentication must be enabled during the installation.
- Do not specify an account (Store URL or XenApp Services URL) as part of the installation. This guide details how to configure a GPO to automatically connect endpoint computers to the required account when Citrix Workspace app starts.
- Restart the endpoint computer after the installation.

Note the Citrix Account URLs

Configuring the GPO with the Citrix store URLs prevents you from having to:

- Add them when installing Citrix Workspace app
- Provide them to end users to add them manually to Citrix Workspace app.

Before you begin, use Citrix Studio to note the required URLs.

Enable Citrix StoreFront for the Citrix FastConnect API

Additional Citrix configuration is required to support the Citrix FastConnect API.

Configure Authentication Methods

The Citrix store must be configured with the following authentication methods to support the Citrix FastConnect API:

- User name and password
- Domain pass-through
- HTTP basic — Even if the store is configured for HTTPS, this authentication method is required.

To configure the required authentication methods:

1. Open Citrix Studio.
2. Go to **Citrix StoreFront > Receiver for Web**.
3. Select the store you want to manage.
4. In the **Store Web Receiver** pane, click **Choose Authentication Methods**.
5. Click **Add/Remove Methods** and enable the required methods.

Verify the Logon Method

The Citrix store logon method (logonMethod) must be configured for single sign-on to support the Citrix FastConnect API.

To verify the logon method:

1. From the Citrix StoreFront server, go to the following location:
C:\inetpub\wwwroot\Citrix\- 2. Open the **web** configuration file and find **logonMethod**.
- 3. Verify that the value is set to **sson**. For example:
`pnaProtocolResources changePasswordAllowed="Never" logonMethod="sson"`

Add Citrix Administrative Templates to the Active Directory Domain Controller

Configuring Citrix Workspace app with Enterprise Access Management requires the following template files:

- receiver.admx
- receiver.adml

To make these templates available to the Group Policy Management Editor, add them to the Central Store on the domain controller.

Locate the Templates

You can locate the templates in the following ways:

- Citrix makes the templates available separately from the Citrix Workspace app installer. Go to the **Citrix Workspace app for Windows** [download page](#). The ADMX/ADML templates are available in the **Admin Tools** section.
- The templates are installed with Citrix Workspace app.
 - The ADMX file is located at "C:\Program Files (x86)\Citrix\ICA Client\Configuration".
 - The ADML file is located at "C:\Program Files (x86)\Citrix\ICA Client\Configuration\en-US".

Add the Templates to the Central Store on the Domain Controller

Managing Group Policy settings requires that all ADMX/ADML files be added to the Central Store on the domain controller. To add the administrative templates:

1. Log into the domain controller.
2. Go to **C:\Windows\SYSVOL\domain\Policies** and create a **PolicyDefinitions** folder to function as the Central Store.
3. Go to **C:\Windows\PolicyDefinitions** and copy all of the contents, including the **en-US** folder, to **C:\Windows\SYSVOL\domain\Policies\PolicyDefinitions**.
4. Add **receiver.admx** to **C:\Windows\SYSVOL\domain\Policies\PolicyDefinitions**.
5. Add **receiver.adml** to **C:\Windows\SYSVOL\domain\Policies\PolicyDefinitions\en-US**.
6. If the Group Policy Management Editor is open, close the console for the changes to take affect.

Enterprise Access Management Workflows and How Citrix Workspace App Reconnects to existing Sessions

The procedures in this guide detail how to configure the GPO to control how Citrix Workspace app reconnects to existing application sessions. Citrix Workspace app **SelfService** must be configured with the **Disabled** option.

The **Disabled** option is required, regardless of the desired end user workflow and application session (roaming) requirements.



NOTE: For information about configuring SelfService, see [Step 4: Control Reconnection attempts to Existing Sessions](#).

The following sections detail common end user workflows.

Session Roaming — Enterprise Access Management does not Launch Applications Automatically

Desired end-user workflow:

1. The user authenticates to workstation A.
2. The applications to which the user is entitled are loaded automatically to the start menu, desktop, or both.
3. The user launches one or more applications manually.
4. The workstation becomes locked through user action/inaction or remains active and unlocked.
5. The user authenticates to workstation B.
6. The applications to which the user is entitled are loaded automatically to the start menu, desktop, or both.
7. All applications that remain open from step 4 are launched automatically (roamed).

Session Roaming — Enterprise Access Management Launches Applications Automatically

Desired workflow:

1. The user authenticates to workstation A.
2. The applications to which the user is entitled are loaded automatically to the start menu, desktop, or both.
3. The applications that are configured in the user policy automatically launch.
4. The workstation either becomes locked through user action/inaction or remains active and unlocked.
5. The user authenticates to workstation B.
6. The applications to which the user is entitled are loaded automatically to the start menu, desktop, or both.
7. The applications that are configured in the user policy automatically launch.

Enable Imprivata Virtual Channel

Applies to Citrix 2109 and later.

In Citrix 2109 and later, the Virtual channel allow list policy setting is enabled by default. This causes the Imprivata virtual channel to fail. For more information, see the [Citrix documentation](#).

The Virtual channel allow list policy setting enables the use of an allow list that specifies which virtual channels are allowed to be opened in an ICA session. There are two ways to allow the Imprivata virtual channel to run in Citrix 2109 or later:

- When disabled:
 - All virtual channels are allowed.



NOTE:

The Imprivata virtual channel must be explicitly allowed in the allowed list. While Citrix has documented that disabling all virtual channels is allowed, Imprivata testing has determined that to be insufficient.

- This is not recommended.
- When enabled:
 - Only Citrix virtual channels are allowed
 - The Imprivata virtual channel must be added to this allow list.

For example:

IMP1166,C:\Program Files (x86)\Imprivata\OneSign Agent\x64\SSOManHost.exe

To use custom or third-party virtual channels, add the virtual channels to the list.

To add a virtual channel to the list:

- Enter the virtual channel name followed by a comma, and then the path to the process that accesses the virtual channel.
- You can add additional executable paths, separating the paths by commas.

For example:

CTXCVC1,C:\VC1\vchost.exe

CTXCVC2,C:\VC2\vchost.exe,C:\Program Files\Third Party\vcaccess.exe

IMP1166,C:\Program Files (x86)\Imprivata\OneSign Agent\x64\SSOManHost.exe

Create A Group Policy to Manage Fast Connect Configuration

Create an organizational unit (OU), add your endpoint computers to it, and then create a GPO to configure the endpoint computers.


Step 1: Create an Organizational Unit for Endpoint Computers

1. From the domain controller, open the **Active Directory Users and Computers** console.
2. In the console tree, create an organizational unit (OU) for your endpoint computers.
3. Add or move the required endpoint computers to the OU.

Step 2: Create a Group Policy

1. From the domain controller, open the **Group Policy Management Console**.
2. In the required domain, select **Group Policy Objects > New**.


3. In the **New GPO** window, name the GPO and click **OK**.



Step 3: Add the Citrix Template Files for the Group Policy

To add the Citrix Administrative templates to the group policy object:

1. Right-click the new GPO and select **Edit**. The Group Policy Management Editor opens.
2. Go to **Computer Configuration > Policies > Administrative Templates Policy Definitions (ADMX files) retrieved from the central store > Citrix Components > Citrix Workspace app**.




Configure the Group Policy

Step 1: Configure the Local User Name and Password

To configure the required settings:

1. In Group Policy Management Editor tree, select **User authentication**.
2. In the details pane, double-click **Local user name and password**.
3. In the **Local user name and password** window, select **Enabled**.
4. In the **Options** pane:
 - Select **Enable pass-through authentication**.
 - Select **Allow pass-through authentication for all ICA connections**.
 - Deselect **Use Novell Directory Server credentials**.
5. Click **OK**.

The settings should match the following screen capture.




Step 2: Configure Fast Connect API Support

To configure the required settings:

1. In the Group Policy Management Editor tree, select **FastConnect API Support**.
2. In the details pane, double-click **Manage Fast ConnectAPI support**.
3. In the **Manage FastConnectAPI support** window, select **Enabled**.
4. In the **Options** pane, select:
 - Select **Enable Fast Connect API functionality**.
 - Select **EnableFastConnectTransitionAPI**.
 - Deselect **Leave Apps Running On Logoff**.
 - Select **Integrate Self Service Plugin with FastConnect**.
5. Click **OK**.

The settings should match the following screen capture.



Step 3: Configure Application Shortcuts

To configure the required settings:

1. In the Group Policy Management Editor tree, select **Self Service**.
2. In the details pane, double-click **Manage App shortcut**.
3. In the **Manage App Shortcut** window, select **Enabled**.
4. In the **Options** pane, select:
 - In the **Startmenu** field: if you want your Citrix apps in a folder on the Start menu, enter a name for that folder here. If this field is left blank, the apps will appear directly on the Start menu.
 - In the **Desktop Directory** field: if you want your Citrix apps in a folder on the desktop, enter a name for that folder here. If this field is left blank, the apps will appear directly on the desktop.
 - Deselect **Disable Startmenu Shortcut**.
 - Select **Enable Desktop Shortcut**.
 - Select **Disable Categorypath for startmenu**.




BEST PRACTICE: Use Citrix StoreFront categories in the Start menu instead.

- Select **Enable Categorypath for desktop** and **Enable to have different category path startmenu**.
- Select **Remove apps on Logoff**.
- Select **Remove apps on Exit**.
- Select **Clear the set of applications shown in the Receiver Window on logoff**.
- Select **Prevent Receiver performing a refresh of the application list when opened**.
- Select **Ignore self service selection of apps and make all mandatory**.

5. Click **OK**.

The settings should match the following screen capture.



Step 4: Control Reconnection attempts to Existing Sessions

To configure the required settings:

1. In the Group Policy Management Editor tree, select **Self Service**.
2. In the details pane, double-click **Control When Receiver Attempts to Reconnect to Existing Sessions**.
3. In the **Control when Receiver attempts to reconnect to existing sessions** window, select **Enabled**.
4. In the **Options** pane, open **Choose the appropriate combination of reconnect conditions**, and select **Disabled**.
5. Click **OK**.

Step 5: Add Accounts

To configure the required settings:

1. In the Group Policy Management Editor tree, select **Storefront**.
2. In the details pane, double-click **StorefrontAccounts List**.
3. In the **Storefront Account List** window, select **Enabled**.
4. Click **Show**.
5. In the **Show Contents** window, enter the store account (Store URL or XenApp Services URL) details using the following syntax:
`store_name;store_url;store_enabled_state;store_description`
 - `store_name` is the name users see for the store.
 - `store_url` is the Services URL for the store.
 - `store_enabled_state` specifies if the store is available to users. Set to **On** or **Off**.
 - `store_description` is the description users see for the store.

XenApp Services example:

SalesStore;https://example.com/Citrix/SalesStore/PNAgent/config.xml;On;Store for Sales Staff

Store example: SalesStore;https://example.com/Citrix/SalesStore/;On;Store for Sales Staff



NOTE: The `store_enabled_state` syntax is case-sensitive.

Step 6: Create Registry Keys for StoreFront Store Support

(Optional) This step is required only if your Citrix environment is using Store URLs. Configuring the registry keys requires that you:

- Add the **ConnectionSecurityMode** and the **ProtocolOrder** values to the Citrix **AuthManager** registry key.
- Create the **Protocols** registry key with a **httpbasic** subkey, which has a value of **Enable**.

Add the ConnectionSecurityMode Value

To add the value:

1. In the Group Policy Management Editor tree, go to **Computer Configuration > Preferences > Windows Settings**.
2. Right-click **Registry** and select **New > Registry item**.
3. In the **New Registry Properties** window, select **Create** from the **Action** list.
4. From the **Hive** list, select **HKEY_LOCAL_Machine**.
5. Enter the following in the Key Path field:
 - 64-bit — **Software\Wow6432Node\Citrix\AuthManager**
6. In the **Value name** field, enter **ConnectionSecurityMode**.
7. From the **Value type** list, select **REG_SZ**.
8. In the **Value data** field, enter **Any**. Click **OK**.

Add the Protocol Order Value

To add the value:

1. In the Group Policy Management Editor tree, go to **Computer Configuration > Preferences > Windows Settings**.
2. Right-click **Registry** and select **New > Registry item**.
3. In the **New Registry Properties** window, select **Create** from the **Action** list.
4. From the **Hive** list, select **HKEY_LOCAL_Machine**.
5. Enter the following in the Key Path field:
 - 64-bit — **Software\Wow6432Node\Citrix\AuthManager**
6. In the **Value name** field, enter **ProtocolOrder**.
7. From the **Value type** list, select **REG_MULTI_SZ**.
8. In the **Value data** field, enter **httpbasic**. Click **OK**.

Create the Protocols registry key

To create the key:


1. In the **New Registry Properties** window, select **Create** from the **Action** list.
2. From the **Hive** list, select **HKEY_LOCAL_Machine**.
3. Enter one of the following in **Key Path**:
 - 64-bit — **Software\Wow6432Node\Citrix\AuthManager\Protocols\httpbasic**
4. In the **Value name** field, enter **Enabled**.
5. From the **Value type** list, select **REG_SZ**.
6. In **Value data** field, enter **true**. Click **OK**.

Step 7: Close the Group Policy Management Editor to Save Your Changes

Closing the Group Policy Management Editor saves the changes to the GPO. The Group Policy Management utility opens. Your GPO appears in **Group Policy Objects** in the Group Policy Management tree.


Link The Group Policy Object to the Organizational Unit

1. In the Group Policy Management window, right-click the new OU you created and select **Link an Existing GPO**.
2. In the Select GPO window, select the new GPO and click **OK**.



Configure Security Filtering

1. In the Group Policy Management window, navigate to your new OU, select your new GPO, and click the **Scope** tab.
2. In the **Scope** tab > **Security Filtering** section, set the filter as necessary. In this example, the filter is set to **Everyone** to make this policy accessible to everyone.




Verify the Configuration

All endpoint computers in the OU receive the new GPO settings at the next Group Policy refresh interval. The default interval is 90 minutes. You can verify the configuration with the following methods.

View Policy Configurations in the Registry

On an endpoint computer in the OU, you can verify the GPO settings are applied by viewing the settings in the registry:

1. Go to:
 - 64-bit – **HKEY_LOCAL_MACHINE > SOFTWARE > Wow6432Node > Policies > Citrix > Dazzle**
 - 32-bit – **HKEY_LOCAL_MACHINE > SOFTWARE > Policies > Citrix > Dazzle**
2. Review the settings as configured in [Configure Group Policy](#).



Generate a Group Policy Result Report

By generating a Group Policy Result Report, you can select a specific endpoint computer to query; the report indicates which GPOs are applied.

1. In the **Group Policy Management** window, right-click **Group Policy Results > Group Policy Results Wizard...**
2. In the **Computer Selection** page, select the computer for which you want to display policy settings, and click **Next**.
3. In the **User Selection** page, enter a domain administrator and click **Next**.
4. Click **Finish** to close the wizard.

- The report is not actually run yet; in the **Group Policy Management** window > **Group Policy Results** section, right-click the report you just created and click **Rerun Query**.



NOTE: If the Windows WMI service is disabled or restricted on the endpoint computer, the report will not work.

- After the report is generated, select the report from the left navigation. In the example below it is named after the endpoint computer **THIRTYTWO**.
- In the details pane, select the **Details** tab. Your GPO is listed in the section **Applied GPOs**.

